



Dental

Optimized Tools for CAD-CAM Machines



D ONEDEN

AIDITE AMW-520, AMD-500 Compatible - Dry machining

Zirconia (ZrO₂)



1

Ø0.6

21230 06060450



2

Ø1.0

21230 10160450



3

Ø2.0

21230 20160450



4

Ø2.0

31230 20160450



5

Ø1.5

42230 15200450



ZrO₂

No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21230 06060450	Ball	DIA	2	0.6	1	6	4	50
2	21230 10160450	Ball	DIA	2	1.0	2.5	16	4	50
3	21230 20160450	Ball	DIA	2	2.0	5.5	16	4	50
4	31230 20160450	Ball	DIA	3	2.0	5.5	16	4	50
5	42230 15200450	Flat	DIA	4	1.5	3.5	20	4	50

AIDITE AMW-520, AMD-500 Compatible - Dry machining

PMMA



1

Ø0.6

21430 06080450



2

Ø1.0

21430 10200450



3

Ø2.0

21430 20250450



4

Ø3.0

21430 30250450




PMMA

No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21430 06080450	Ball	DLC	2	0.6	2	8	4	50
2	21430 10200450	Ball	DLC	2	1.0	3	20	4	50
3	21430 20250450	Ball	DLC	2	2.0	8	25	4	50
4	21430 30250450	Ball	DLC	2	3.0	8	25	4	50

AIDITE AMW-520, AMD-500 Compatible - Dry machining


PMMA



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
5	11030 06080450	Ball	Uncoated	1	0.6	2	8	4	50
6	11030 10160450	Ball	Uncoated	1	1.0	2	16	4	50
7	11030 20250450	Ball	Uncoated	1	2.0	8	25	4	50
8	11030 30250450	Ball	Uncoated	1	3.0	8	25	4	50
9	12030 15200450	Flat	Uncoated	1	1.5	8	20	4	50

AIDITE AMW-400 Compatible - Wet Machining

Glass Ceramics



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	01130 06040650	Ball	EL-DIA	0	0.6	4	4	6	50
2	01130 10080650	Ball	EL-DIA	0	1.0	8	8	6	50
3	01130 25140650	Ball	EL-DIA	0	2.5	14	14	6	50



47-2 Cheongnong-ro Bupyeong-gu, Incheon, South Korea

✉ oneden@oneden.kr

☎ +82 32 513 2344

📠 +82 32 724 4340

<https://www.oneden.kr>

