



Dental


Optimized Tools for CAD-CAM Machines



D ONEDEN


CNC Dental Compatible - Wet/Dry/MQL

Cobalt Chrome / Titanium



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21332 10120650	Ball	TS	2	1.0	3	12	6	50
2	21332 15120650	Ball	TS	2	1.5	3	12	6	50
3	21332 20120650	Ball	TS	2	2.0	3.5	12	6	50
4	21332 30150650	Ball	TS	2	3.0	5.5	15	6	50

No.	EDP	Type	Coating	Flute	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
5	31332 4016065002	High Feed	TS	3	4.0-R0.2	4.2	16	6	50



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
6	43332 3016065003	Toric	TS	4	3.0-R0.3	4	16	6	50
7	43332 3016065005	Toric	TS	4	3.0-R0.5	4	16	6	50
8	43332 3017065005	Toric	TS	4	3.0-R0.5	7	17	6	50
9	43332 4012065005	Toric	TS	4	4.0-R0.5	5	12	6	50
10	43332 4012065010	Toric	TS	4	4.0-R1.0	5	12	6	50
11	43332 6020065005	Toric	TS	4	6.0-R0.5	13	20	6	50
12	43332 6020065010	Toric	TS	4	6.0-R1.0	13	20	6	50
13	53332 6013065010	Toric	TS	5	6.0-R1.0	13	-	6	50



47-2 Cheongnong-ro Bupyeong-gu, Incheon, South Korea

✉ oneden@oneden.kr

☎ +82 32 513 2344

📠 +82 32 724 4340

<https://www.oneden.kr>

