




# Dental


Optimized Tools for CAD-CAM Machines



 **ONEDEN**


# Redon Compatible

## Cobalt Chrome / Titanium



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21326 10080440	Ball	TS	2	1.0	1.5	8	4	40
2	21326 15100440	Ball	TS	2	1.5	2	10	4	40
3	21326 20080440	Ball	TS	2	2.0	2.5	8	4	40
4	53326 2510044005	Toric	TS	5	2.5 -R0.5	6	10	4	40
5	53726 2510044005	Toric	AV	5	2.5 -R0.5	6	10	4	40


## Cobalt Chrome / Titanium



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21326 06030440	Ball	TS	2	0.6	1	3	4	40
2	22326 10100440	Flat	TS	2	1.0	1.5	10	4	40
3	22326 15060440	Flat	TS	2	1.5	2	6	4	40
4	22326 15160440	Flat	TS	2	1.5	2	16	4	40
5	23326 1506044002	Toric	TS	2	1.5 -R0.2	2.5	6	4	40

## Redon Compatible - Wet Machining

### Glass Ceramics



**1**  
Ø0.6  
01126 06060440

**2**  
Ø1.0  
01126 10100440

**3**  
Ø1.5  
01126 15100440


**4**  
Ø2.5  
01126 25150440



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	01126 06060440	Ball	EL-DIA	0	0.6	6	6	4	40
2	01126 10100440	Ball	EL-DIA	0	1.0	10	10	4	40
3	01126 15100440	Ball	EL-DIA	0	1.5	10	10	4	40
4	01126 25150440	Ball	EL-DIA	0	2.5	15	15	4	40

## Redon Compatible - Dry Machining

### Zirconia (ZrO<sub>2</sub>)



**1**  
Ø0.6  
21226 06100440

**2**  
Ø1.0  
21226 10150440

**3**  
Ø2.0  
21226 20150440



No.	EDP	Type	Coating	Flutes	OD [mm]	LOC [mm]	LBS [mm]	SD [mm]	OAL [mm]
1	21226 06100440	Ball	DIA	2	0.6	1.5	10	4	40
2	21226 10150440	Ball	DIA	2	1.0	2	15	4	40
3	21226 20150440	Ball	DIA	2	2.0	5	15	4	40



47-2 Cheongnong-ro Bupueong-gu, Incheon, South Korea

✉ oneden@oneden.kr

☎ +82 32 513 2344

☎ +82 32 724 4340

<https://www.oneden.kr>

